INDEX

IEE Proceedings Part B
Electric Power Applications
Vol. 127, 1980

Abbreviations
- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

Conference publications

186 International conference on effective use of electricity in buildings 266

187 Power system monitoring and control 267

Author index

A

Abdel-Hamid, R.H., Chalmers, B.J., and Spooner, E. see Chalmers, B.J.
Ahamed, T.U., and Shepherd, W. Operation of a lead/acid battery with thyristor chopper burden p120
Al-Nimma, D.A., and Williams, S. Study of rapid speed-changing methods in a.c. motor drives p382
Atkinson, L.G., Chalmers, B.J., Cox, J.W.R., and El-Atar, M.M.K. see Chalmers, B.J.

B

Binns, K.J., and Kahan, P.A. Effect of load on the fluc pulsations and radial-force pulsations of induction motor teeth p223
Binns, K.J., and Kurdali, A. Permanent-magnet a.c. generators d240
Blenkinsop, P.T., Lawrenson, P.J., Stephenson, J.M., Corda, J., and Fulton, N.N. see Lawrenson, P.J.
Bolton, H.R., and Nicodemou, V.C. Operation of self-excited generators for windmill application d240
Bonwick, W.J. Voltage waveform distortion in synchronous generators with rectifier loading p13
Bordry, F., De Fornel, B., and Trannoy, B. Flux and speed numerical control of a voltage-fed asynchronous induction machine p91
Burton, D.P., Heffernan, D., and Richmond, E. 'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations p46

C

Carpenter, C.J. Comparison of alternative formulations of 3-dimensional magnetic-field and eddy-current problems at power frequencies d331
Cathey, J.J., and Nasar, S.A. Effect of armature banding on the commutation of a d.c. machine p201 e332
Chalmers, B.J., Atkinson, L.G., Cox, J.W.R., and El-Atar, M.M.K. Design of 400 Hz saturistor motors with improved starting performance p341
Chalmers, B.J., and Dukes, B.J. High-performance eddy-current dynamometers p20
Chalmers, B.J., Spooner, E., and Abdel-Hamid, R.H. Parameters of solid-rotor induction machines with unbalanced supply p174
Charlton, W.H., and Smith, B.H. see Smith, B.H.
Chirricozzi, E., Harley, R.G., and Limebeer, D.J.N. see Harley, R.G.
Corda, J., Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., and Fulton, N.N. see Lawrenson, P.J.
Cosgrove, J., Tso, S.K., and Spooner, E.D. see Tso, S.K.
Cox, J.W.R., Chalmers, B.J., Atkinson, L.G., and El-Atar, M.M.K. see Chalmers, B.J.
Creighton, G.K. Current-source invertor-fed induction motor torque pulsations p231
Crnošifa, P., and Kmetić, M. Determination of network voltage distortion factor by digital computer simulation p358

D

Das, S., and Davies, E.J. see Davies, E.J.
Davies, E.J., and Das, S. Experimental study of eddy currents induced in the solid shells of d.c. machines carrying undulating currents p317
De Fornel, B., Bordry, F., and Trannoy, B. see Bordry, F.
de Oliveira, J.C., and Yacamini, R. see Yacamini, R.
Dodson, R.C., Evans, P.D., and Eastham, J.F. see Evans, P.D.
Drury, W., Farrer, W., and Jones, B.L. Performance of thyristor bridge convertors employing flywheeling p268
Dukes, B.J., and Chalmers, B.J. see Chalmers, B.J.

E

Eastham, J.F., and Evans, P.D. see Evans, P.D.
Eastham, J.F., Evans, P.D., and Dodson, R.C. see Evans, P.D.
El-Atar, M.M.K., Chalmers, B.J., Atkinson, L.G., and Cox, J.W.R. see Chalmers, B.J.
Ertan, H.B., Hughes, A., and Lawrenson, P.J. Efficient numerical method for predicting the torque/displacement curve of saturated VR stepping motors p246
Evans, P.D., Dodson, R.C., and Eastham, J.F. Delta inverter p333
Evans, P.D., and Eastham, J.F. Disc-geometry homopolar synchronous machine p299

F

Farrer, W., Drury, W., and Jones, B.L. see Drury, W.
Farrer, W., Murgatroyd, P.N., Hodgkinson, R.P.D., and McLoughlin, P.D. see Murgatroyd, P.N.
Fisher, S.N., and Jewell, W.H. Scheme to improve transient response of industrial systems p349
Freeman, E.M., Rajanathan, C.B., and Lowther, D.A. see Rajanathan, C.B.
Fulton, N.N., Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., and Corda, J. see Lawrenson, P.J.

G

Goodman, K.A., Smith, J.R., Stronach, A.F., and Tsao, T. see Smith, J.R.

H

Harding, M.A. Experience of electronics on rapid transit stock p215
Harley, R.G., Limebeer, D.J.N., and Chirricozzi, E. Comparative study of saturation methods in synchronous machine models p1
Heffernan, D., Burton, D.P., and Richmond, E. see Burton, D.P.
Hesmondhalgh, D.E., and Tipping, D. A multielement magnetic gear p129
Hodgkinson, R.P.D., Murgatroyd, P.N., Farrer, W., and McLoughlin, P.D. see Murgatroyd, P.N.
Howe, A.F., and Newbery, P.G. Semiconductor fuses and their applications p155
Hughes, A., Ertan, H.B., and Lawrenson, P.J. see Ertan, H.B.

J

Jackson, R.D., and Prendergast, E.J. see Prendergast, E.J.
Jewell, W.H., and Fisher, S.N. see Fisher, S.N.
Jones, B.L., Drury, W., and Farrer, W. see Drury, W.

K

Kahan, P.A., and Binns, K.J. see Binns, K.J.
Kmetić, M., and Crnošifa, P. see Crnošifa, P.
Kurdali, A., and Binns, K.J. see Binns, K.J.

L

Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., Corda, J., and Fulton, N.N. Variable-speed switched reluctance motors p253
Lawrenson, P.J., Ertan, H.B., and Hughes, A. see Ertan, H.B.
Limebeer, D.J.N., Harley, R.G., and Chirricozzi, E. see Harley, R.G.
Lowther, D.A., Rajanathan, C.B., and Freeman, E.M. see Rajanathan, C.B.

M

McLoughlin, P.D., Murgatroyd, P.N., Farrer, W., and Hodgkinson, R.P.D. see Murgatroyd, P.N.
Mansell, A.D., and Power, H.M. Stabilisation of doubly-fed, slip-ring machines using the datum-shift method p293
Mellitt, B., and Mwandosya, M.J. Input characteristics of naturally commutated single-phase asymmetrical convertors p107
Morrow, R. Approach to the design of applicators for radio-frequency drying p124
Morton, J.S. Coil-less cold-cathode arc chutes for high-speed d.c. circuit breakers for use on traction systems p34 d329
Murgatroyd, P.N., Farrer, W., Hodgkinson, R.P.D., and McLoughlin, P.D. The toroidal cage coil p207
Mwandosya, M.J., and Mellitt, B. see Mellitt, B.

Mwenechanya, J., and Williamson, A.C. see Williamson, A.C.

N

Nasar, S.A., and Cathey, J.J. see Cathey, J.J.
Newbery, P.G., and Howe, A.F. see Howe, A.F.
Nicodemou, V.C., and Bolton, H.R. see Bolton, H.R.
Noh, C.J., and Smith, I.R. Chattering conditions in electromagnetic contactors p324
Nondahl, T.A., and Novotny, D.W. Three-phase pole-by-pole model of a linear induction machine p68
Novotny, D.W., and Nondahl, T.A. see Nondahl, T.A.

O

O'Connor, W.J. Magnetic forces in idealised saturable-pole configurations p29
O'Kelly, D. Flux penetration and losses in steel plate with sinusoidal magnetisation p287

P

Parthasarathy, T.B., and Shanmugasundaram, A. see Shanmugasundaram, A.
Pejlek, Z., and Roubiček, O. see Roubiček, O.
Penman, J., and Williamson, A.C. Feasibility of electromagnetic separation of irradiated nuclear reactor fuel-rod components p277
Power, H.M., and Mansell, A.D. see Mansell, A.D.
Prendergast, E.J., and Jackson, R.D. Microcomputer-based power-semiconductor-circuit waveform analyser p363

R

Rajanathan, C.B., Lowther, D.A., and Freeman, E.M. Study of Xi-core transverse-flux plate levitator p183
Richmond, E., Burton, D.P., and Heffernan, D. see Burton, D.P.
Roubiček, O., and Pejlek, Z. Oscillatory synchronous linear motor with permanent-magnet excitation p8

S

Shanmugasundaram, A., and Parthasarathy, T.B. Circle diagram for a compensated linear induction motor p197
Shepherd, W., and Ahamed, T.U. see Ahamed, T.U.
Simkin, J., and Trowbridge, C.W. Three-dimensional nonlinear electromagnetic field computations, using scalar potentials p368
Simons, J.S. Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field p139 d386
Smith, A.C., and Williamson, S. see Williamson, S.
Smith, B.H., and Charlton, W.H. Output voltages of a multiswitch inverter p117
Smith, I.R., and Noh, C.J. see Noh, C.J.
Smith, J.R., Stronach, A.F., Tsao, T., and Goodman, K.A. Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives p308
Spooner, E., Chalmers, B.J., and Abdel-Hamid, R.H. see Chalmers, B.J.
Spooner, E.D., Tso, S.K., and Cosgrove, J. see Tso, S.K.
Stephenson, J.M., Lawrenson, P.J., Blenkinsop, P.T., Corda, J., and Fulton, N.N. see Lawrenson, P.J.
Stronach, A.F., Smith, J.R., Tsao, T., and Goodman, K.A. see Smith, J.R.
Subbarayudu, D., and Subrahamanyam, V. see Subrahamanyam, V.
Subbarayudu, D., and Subrahamanyam, V. see Subrahamanyam, V.
Subrahamanyam, V., and Subbarayudu, D. Steady-state analysis of an induction motor fed from a current-source inverter using complex-state (Park's) vector d244
Subrahamanyam, V., and Subbarayudu, D. Steady-state analysis of an induction motor fed from a current-source inverter using complex-state (Park's) vector d244

T

Tavner, P.J. Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores p57
Tipping, D., and Hesmondhalgh, D.E. see Hesmondhalgh, D.E.
Trannoy, B., Bordry, F., and De Fornel, B. see Bordry, F.
Trowbridge, C.W., and Simkin, J. see Simkin, J.
Tsao, T., Smith, J.R., Stronach, A.F., and Goodman, K.A. see Smith, J.R.
Tso, S.K., Spooner, E.D., and Cosgrove, J. Efficient microprocessor-based cycloconvertor control p190

W

Williams, S., and Al-Nimma, D.A. see Al-Nimma, D.A.
Williamson, A.C. A new connection for synchronous motor excitation p169
Williamson, A.C., and Mwenechanya, J. Method of low-speed commutation of an inverter-fed synchronous motor p375
Williamson, A.C., and Penman, J. see Penman, J.
Williamson, S., and Smith, A.C. Field analysis for rotating induction machines and its relationship to the equivalent-circuit method p83

Y

Yacamini, R., and de Oliveira, J.C. Harmonics in multiple convertor systems: a generalised approach p96

Index to discussion contributors

Amor, C.F., 241
Black, I.A., 386
Eastman, D.F., 329
Freris, L.L., 240
Hogg, W.K., 386
Lincoln, H.S., 330
Mason, J.H., 386
Miller, R., 386
Pal, S.K., 241
Pearce, D.F., 329
Pontin, G.W.W., 240
Rogers, F.E., 240
Sturland, R.W., 329
Watson, G.J., 329
Wood, J.W., 386
Young, F., 330

Subject index

ARCING

Coil-less cold-cathode arc chutes for high-speed d.c. circuit breakers for use on traction systems. J.S.Morton p34 d329

BATTERIES AND CELLS

Operation of a lead/acid battery with thyristor chopper burden. T.U.Ahamed and W.Shepherd p120

CIRCUIT BREAKERS

Coil-less cold-cathode arc chutes for high-speed d.c. circuit breakers for use on traction systems. J.S.Morton p34 d329

COMMUTATION

Effect of armature banding on the commutation of a d.c. machine. J.J.Cathey and S.A.Nasar p201 e332
Input characteristics of naturally commutated single-phase asymmetrical convertors. B.Mellitt and M.J.Mwandosya p107
Method of low-speed commutation of an inverter-fed synchronous motor. A.C.Williamson and J.Mwenechanya p375

COMPUTER APPLICATIONS

Design of 400 Hz saturistor motors with improved starting performance. B.J.Chalmers, L.G.Atkinson, J.W.R.Cox and M.M.K.El-Atar p341
Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić p358
Disc-geometry homopolar synchronous machine. P.D.Evans and J.F.Eastham p299
Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly p287
Three-dimensional nonlinear electromagnetic field computations, using scalar potentials. J.Simkin and C.W.Trowbridge p368

CONTROL EQUIPMENT AND APPLICATIONS

Input characteristics of naturally commutated single-phase asymmetrical convertors. B.Mellitt and M.J.Mwandosya p107

CONVERTORS

Performance of thyristor bridge convertors employing flywheeling. W.Drury, W.Farrer and B.L.Jones p268

DIELECTRICS

Approach to the design of applicators for radio-frequency drying. R.Morrow p124

DIGITAL COMPUTERS AND COMPUTATION

Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove p190
Flux and speed numerical control of a voltage-fed asynchronous induction machine. F.Bordry, B.De Fornel and B.Trannoy p91

DIGITAL SIMULATION

Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman p308

ENERGY CONVERSION AND STORAGE

Operation of a lead/acid battery with thyristor chopper burden. T.U.Ahamed and W.Shepherd p120

FERRITES AND FERROMAGNETICS

Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly p287
Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores. P.J.Tavner p57

GENERATORS

Effect of armature banding on the commutation of a d.c. machine. J.J.Cathey and S.A.Nasar p201 e332
Operation of self-excited generators for windmill application. H.R.Bolton and V.C.Nicodemou d240
Permanent-magnet a.c. generators. K.J.Binns and A.Kurdali d240
Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman p308
Voltage waveform distortion in synchronous generators with rectifier loading. W.J.Bonwick p13

HYSTERESIS THEORY

Comparison of alternative formulations of 3-dimensional magnetic-field and eddy-current problems at power frequencies. C.J.Carpenter d331
Experimental study of eddy currents induced in the solid shells of d.c. machines carrying undulating currents. E.J.Davies and S.Das p317
Field analysis for rotating induction machines and its relationship to the equivalent-circuit method. S.Williamson and A.C.Smith p83
Flux and speed numerical control of a voltage-fed asynchronous induction machine. F.Bordry, B.De Fornel and B.Trannoy p91
Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly p287
High-performance eddy-current dynamometers. B.J.Chalmers and B.J.Dukes p20
Magnetic forces in idealised saturable-pole configurations. W.J.O'Connor p29
Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores. P.J.Tavner p57

INDUCTION MOTORS

A new connection for synchronous motor excitation. A.C.Williamson p169
Chattering conditions in electromagnetic contactors. C.J.Noh and I.R.Smith p324
Circle diagram for a compensated linear induction motor. A.Shanmugasundaram and T.B.Parthasarathy p197
Current-source invertor-fed induction motor torque pulsations. G.K.Creighton p231
Design of 400 Hz saturistor motors with improved starting performance. B.J.Chalmers, L.G.Atkinson, J.W.R.Cox and M.M.K.El-Atar p341
Effect of load on the fluc pulsations and radial-force pulsations of induction motor teeth. K.J.Binns and P.A.Kahan p223
Field analysis for rotating induction machines and its relationship to the equivalent-circuit method. S.Williamson and A.C.Smith p83
Flux and speed numerical control of a voltage-fed asynchronous induction machine. F.Bordry, B.De Fornel and B.Trannoy p91
Parameters of solid-rotor induction machines with unbalanced supply. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid p174
Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman p308
Stabilisation of doubly-fed, slip-ring machines using the datum-shift method. A.D.Mansell and H.M.Power p293
Steady-state analysis of an induction motor fed from a current-source inverter using complex-state (Park's) vector. V.Subrahamanyam and D.Subbarayudu d244
Study of rapid speed-changing methods in a.c. motor drives. D.A.Al-Nimma and S.Williams p382
Three-phase pole-by-pole model of a linear induction machine. T.A.Nondahl and D.W.Novotny p68

INDUCTORS AND INDUCTANCE

The toroidal cage coil. P.N.Murgatroyd, W.Farrer, R.P.D.Hodgkinson and P.D.McLoughlin p207

INSTRUMENTATION AND MEASURING SCIENCE

Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons p139 d386
High-performance eddy-current dynamometers. B.J.Chalmers and B.J.Dukes p20
Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores. P.J.Tavner p57

INSULATORS AND INSULATION

Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons p139 d386

LINEAR MOTORS

Circle diagram for a compensated linear induction motor. A.Shanmugasundaram and T.B.Parthasarathy p197
Oscillatory synchronous linear motor with permanent-magnet excitation. O.Roubiček and Z.Pejšek p8
Three-phase pole-by-pole model of a linear induction machine. T.A.Nondahl and D.W.Novotny p68

LOAD AND VOLTAGE REGULATION

Harmonics in multiple convertor systems: a generalised approach. R.Yacamini and J.C.de Oliveira p96
Input characteristics of naturally commutated single-phase asymmetrical convertors. B.Mellitt and M.J.Mwandosya p107

MAGNETIC DEVICES AND PROPERTIES

A multielement magnetic gear. D.E.Hesmondhalgh and D.Tipping p129
Feasibility of electromagnetic separation of irradiated nuclear reactor fuel-rod components. J.Penman and A.C.Williamson p277
Oscillatory synchronous linear motor with permanent-magnet excitation. O.Roubiček and Z.Pejšek p8
Steady-state analysis of an induction motor fed from a current-source inverter using complex-state (Park's) vector. V.Subrahamanyam and D.Subbarayudu d244
Study of Xi-core transverse-flux plate levitator. C.B.Rajanathan, D.A.Lowther and E.M.Freeman p183

MAGNETIC FIELDS

Comparison of alternative formulations of 3-dimensional magnetic-field and eddy-current problems at power frequencies. C.J.Carpenter d331
Feasibility of electromagnetic separation of irradiated nuclear reactor fuel-rod components. J.Penman and A.C.Williamson p277
Magnetic forces in idealised saturable-pole configurations. W.J.O'Connor p29

MATHEMATICAL TECHNIQUES

Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove p190
Study of Xi-core transverse-flux plate levitator. C.B.Rajanathan, D.A.Lowther and E.M.Freeman p183

MICROPROCESSORS

Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove p190
'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations. D.P.Burton, D.Heffernan and E.Richmond p46

MOTORS

A multielement magnetic gear. D.E.Hesmondhalgh and D.Tipping p129
Current-source invertor-fed induction motor torque pulsations. G.K.Creighton p231
Delta inverter. P.D.Evans, R.C.Dodson and J.F.Eastham p333

MOTORS, A.C.

Stabilisation of doubly-fed, slip-ring machines using the datum-shift method. A.D.Mansell and H.M.Power p293
Study of rapid speed-changing methods in a.c. motor drives. D.A.Al-Nimma and S.Williams p382

MOTORS, D.C.

Determination of network voltage distortion factor by digital computer simulation. P.Crnolifa and M.Kmetić p358
Effect of armature banding on the commutation of a d.c. machine. J.J.Cathey and S.A.Nasar p201 e332
Experimental study of eddy currents induced in the solid shells of d.c. machines carrying undulating currents. E.J.Davies and S.Das p317

NETWORKS

Determination of network voltage distortion factor by digital computer simulation. P.Crnolifa and M.Kmetić p358

NONDESTRUCTIVE TESTING

Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons p139 d386

NONLINEAR SYSTEMS

Three-dimensional nonlinear electromagnetic field computations, using scalar potentials. J.Simkin and C.W.Trowbridge p368

NUMERICAL ANALYSIS

Efficient numerical method for predicting the torque/displacement curve of saturated VR stepping motors. H.B.Ertan, A.Hughes and P.J.Lawrenson p246

OPTIMAL CONTROL

'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations. D.P.Burton, D.Heffernan and E.Richmond p46

POWER ELECTRONICS

Delta inverter. P.D.Evans, R.C.Dodson and J.F.Eastham p333
Method of low-speed commutation of an inverter-fed synchronous motor. A.C.Williamson and J.Mwenechanya p375
Microcomputer-based power-semiconductor-circuit waveform analyser. E.J.Prendergast and R.D.Jackson p363
Output voltages of a multiswitch inverter. B.H.Smith and W.H.Charlton p117
Study of rapid speed-changing methods in a.c. motor drives. D.A.Al-Nimma and S.Williams p382
The toroidal cage coil. P.N.Murgatroyd, W.Farrer, R.P.D.Hodgkinson and P.D.McLoughlin p207

POWER SYSTEMS AND PLANT

'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations. D.P.Burton, D.Heffernan and E.Richmond p46
Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman p308
Scheme to improve transient response of industrial systems. S.N.Fisher and W.H.Jewell p349

POWER TRANSMISSION

Harmonics in multiple convertor systems: a generalised approach. R.Yacamini and J.C.de Oliveira p96

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Approach to the design of applicators for radio-frequency drying. R.Morrow p124

RAILWAY ELECTRIFICATION AND TRANSPORTATION

Experience of electronics on rapid transit stock. M.A.Harding p215
Parameters of solid-rotor induction machines with unbalanced supply. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid p174

RELUCTANCE MOTORS

Variable-speed switched reluctance motors. P.J.Lawrenson, J.M.Stephenson, P.T.Blenkinsop, J.Corda and N.N.Fulton p253

REVIEW OF PROGRESS

Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons p139 d386

SEMICONDUCTOR DEVICES AND MATERIALS

Semiconductor fuses and their applications. A.F.Howe and P.G.Newbery p155

SIGNAL PROCESSING

Microcomputer-based power-semiconductor-circuit waveform analyser. E.J.Prendergast and R.D.Jackson p363

SIMULATION

Comparative study of saturation methods in synchronous machine models. R.G.Harley, D.J.N.Limebeer and E.Chirricozzi p1
Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić p358
Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly p287
Parameters of solid-rotor induction machines with unbalanced supply. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid p174
Three-phase pole-by-pole model of a linear induction machine. T.A.Nondahl and D.W.Novotny p68

STEPPING MOTORS

Efficient numerical method for predicting the torque/displacement curve of saturated VR stepping motors. H.B.Ertan, A.Hughes and P.J.Lawrenson p246

SWITCHES AND SWITCHING THEORY

Output voltages of a multiswitch inverter. B.H.Smith and W.H.Charlton p117

SYNCHRONOUS MOTORS

A new connection for synchronous motor excitation. A.C.Williamson p169
Comparative study of saturation methods in synchronous machine models. R.G.Harley, D.J.N.Limebeer and E.Chirricozzi p1
Disc-geometry homopolar synchronous machine. P.D.Evans and J.F.Eastham p299
Method of low-speed commutation of an inverter-fed synchronous motor. A.C.Williamson and J.Mwenechanya p375
Oscillatory synchronous linear motor with permanent-magnet excitation. O.Roubiček and Z.Pejšek p8
Stabilisation of doubly-fed, slip-ring machines using the datum-shift method. A.D.Mansell and H.M.Power p293

THYRISTORS AND THYRISTOR APPLICATIONS

Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić p358
Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove p190
Microcomputer-based power-semiconductor-circuit waveform analyser. E.J.Prendergast and R.D.Jackson p363
Operation of a lead/acid battery with thyristor chopper burden. T.U.Ahamed and W.Shepherd p120
Performance of thyristor bridge convertors employing flywheeling. W.Drury, W.Farrer and B.L.Jones p268
Semiconductor fuses and their applications. A.F.Howe and P.G.Newbery p155

TRANSFORMERS AND SWITCHGEAR

Harmonics in multiple convertor systems: a generalised approach. R.Yacamini and J.C.de Oliveira p96

TRANSFORMS

The toroidal cage coil. P.N.Murgatroyd, W.Farrer, R.P.D.Hodgkinson and P.D.McLoughlin p207

TRANSIENTS

Experimental study of eddy currents induced in the sol²d shells of d.c. machines carrying undulating currents. E.J.Davies and S.Das p317
Scheme to improve transient response of industrial systems. S.N.Fisher and W.H.Jewell p349
Voltage waveform distortion in synchronous generators with rectifier loading. W.J.Bonwick p13